

Amendments to the Claims:

The following Listing of Claims replaces all prior listings, and versions, of claims in the subject patent application.

Listing of Claims:

Claim 1 (Currently Amended). A process for inspecting transparent containers (B), comprising the steps of illuminating every container ~~(B); (B) and producing and evaluating~~ by a single CCD camera at least two exposures of the same container, evaluating the exposures by an evaluation device, imaging ~~the~~ a contour of the container with ~~the~~ one exposure for the evaluation of the contour, imaging ~~the~~ a wall of the container with ~~the other~~ another exposure for the evaluation of the wall, and changing over, between the two exposures, the exposure time of the CCD camera (K) from an exposure time for the container wall to an exposure time for the container contour.

Claim 2 (Currently Amended). A process in accordance with claim 1, ~~and~~ further comprising the step of forming the two exposures in the same intensity of illumination.

Claim 3 (Currently Amended). A process in accordance with claim 1, ~~and~~ further comprising carrying out and storing in memory the two exposures of a container (B) one immediately after the other, and carrying out the evaluation of the exposures in one of in parallel or in succession, one after the other.

Claim 4 (Currently Amended). A device (V) for inspecting transparent containers (B), ~~particularly beverage bottles~~, comprising in combination a container-conveying device (F), at

least one source of illumination (L), a single CCD camera (K) which is connected with an evaluation device (A) for ~~the~~ one or more exposures of the containers, ~~the~~ one or more exposures of the container walls and ~~the~~ one or more exposures of the container ~~profile~~ profiles being produced by means of said CCD camera (K), and a control device (C2) for changing the sensitivity of exposure of said CCD camera (K) between a sensitivity of exposure for the container profile and a sensitivity of exposure for the container ~~wall~~ walls.

Claim 5 (Currently Amended). A device in accordance with claim 4, wherein said control device (C2) has at least one electronic control circuit, by means of which the exposure time of said CCD camera (K) can be changed in at least two trigger positions (T1, T2).

Claim 6 (Currently Amended). A device in accordance with claim 4, wherein said source of illumination (L) comprises at least one LED radiant field (3) which can be activated in ~~the~~ individual ~~containers~~ flashes.

Claim 7 (Currently Amended). A device in accordance with claim 6, ~~and~~ further comprising a flash time adjusting device (C1) which is coordinated with said LED radiant field (3).

Claim 8 (Currently Amended). A process in accordance with claim 2, wherein the step of forming the two exposures ~~to be~~ in the same illumination intensity is performed by means of flashes.

Claim 9 (Currently Amended). A device in accordance with claim 7, wherein said flash time adjusting device (C1) is an electronic control circuit which adjusts ~~the~~ a flash time for ~~the~~ a change of the intensity of illumination by means of different trigger positions.